

LUTEC China Head Office
CN8, Far-East Industry Park,
Yuyao, Zhejiang, China
+86-574-62760832
info@lutech.net

LUTEC Europe Regional Office
Herentalsebaan 425
2160 Wommelgem, Belgium
+32 3 284 51 62
info@lutech-europe.com

LUTEC in Germany
Austria - Switzerland
ECO-LIGHT Leuchten GmbH
+49-228-9691090
sales@eco-light.biz

LUTEC in Hungary-Slovenia-Croatia
Czech-Slovakia
LUTEC Lighting Kft
+36 30 2193952
zsolt.szlaviczsek@lutech.hu

LUTEC in Russia
Oasis Light
+7 499 5501529
agata-v@rambler.ru

LUTEC in France
Prof & Specialist channel
LUTEC France S.A.S
+33-04-75602598
commande@lutech-france.fr

LUTEC in Belgium - The Netherlands
WEBBRANDS Benelux
+32 3 369 26 16
info@webbrands.eu

LUTEC in Middle East
LUTEC Middle East Ltd
+971 6 552 8980
info@lutechme.com

DIY & Garden channel
Cadre & Light S.A.R.L
+33-02-41270839
info@cadre-light.fr

LUTEC in Italy
Lightec Srl.
+39 031 3551342
info@lightecsrl.com

LUTEC in United States - Canada
LUTEC USA LLC
+(704) 980 4135
shelley.greenberg@lutech.net

LUTEC in Iberia
Prof & Specialist channel Spain
Silumin S.L.
+34 93 892 40 51
silumin@silumin.es

LUTEC in Greece - Cyprus
Samba - Eliezer
+30 2104820946
info@samba-eliezer.gr

LUTEC in Australia - New Zealand
Evolt Pty Ltd
+61 2 9502 1161
sales@evolt.com.au

Prof & Specialist channel Portugal
Duarte Neves LDA
+351 219 668 100
info@duarteneves.pt

LUTEC in United Kingdom - Ireland
LUTEC UK Ltd
+44 (0) 1992 760870
sales@lutechuk.com

LUTEC in South Korea
Belko Co., Ltd
+82 2 465 0603
belko@belko.co.kr

DIY & Garden channel
Spain & Portugal
LUTEC Lighting Iberia S.L.
+34 93 500 12 21
administracion@lutechiberia.com

LUTEC in Ukraine
Eurotrade
+38 044 496 74 83
anton@eurotrade.net.ua

LUTEC in Chile
Manufacturas Eléctricas ByP Ltda.
+56 228 769 400
online@byp.cl

China Central Warehouse in
Yuyao

European Central Warehouse
Bornem - Belgium

www.lutech.com

OUTDOOR LIGHTING 19

European Warehouse Portfolio



CONNECTED BY LIGHTING

19

OUTDOOR LIGHTING



Hello,
nice to meet you
we are

LUTEC

CONNECTED BY LIGHTING

one LUTEC, one **lighting** world

We think that outdoor lighting is one field with different needs and approaches. Our main challenge, using our experience, is to propose creative solutions to enlighten your outdoor living space.

As LUTEC, we have made this open choice to embrace this field of activity most completely.

Architectural, with wall and ceiling decorative lamps, specific light effects, functional with directional or recessed lights, the garden, the paths and terraces... Entering in the solar lighting is more than trendy, the solar energy being an active part of our future.

Begun recently, the activity related to safety and comfort has gained importance. New connected camera ranges are developed. The world of colour and programming to manage all your lights now enters our collections.

One world, different faces, different segments developed with the same concern of quality and efficiency.

outdoor lighting



security



solar



worklight



functional



architectural



tradition

our **6** activity
segments

discover what's new

make your outdoor life smarter

Take absolute control

LUTEC introduces a range of Outdoor luminaires with the integrated WiZ connected light module. Combining high quality weatherproof aluminium fixtures with endless possibilities to control the powerful LED light.

Convenient & Welcoming

Get your outdoor lights to do everything you want and more. Triggered by your voice, remote or sensor, you'll always have the right light at the right time.

Comfortable & Personal

Create the perfect outdoor atmosphere for each occasion just like a lighting designer.



P 34



P 84



P 114



P 44



P 58



P 14



P 16



P 58



P 36

TAKE FULL CONTROL OF YOUR LIGHTS



Mobile app



Remote



Voice control



Schedules



Vacation mode



IFTTT Applets

PAIR & SHARE. INSTANTLY.



Secured cloud



No hub needed



Multi-user

DIMMING



64,000 WHITES

Preset light modes



16 Million COLORS


Dynamic light modes



learn more on wizconnected.com



a light for every mood





security for your comFort

LUTEC launches the InMotion concept offering a complete range of Security Sensor Lights.


It's all about the sensor

The integrated PIR sensor equipped with multiple parameter settings enables the installation of a perfect detection system. The detection area varies from 12 metres up to 20 metres. The use of double sensors in the same luminaire assures a 100% full coverage. No one will pass unnoticed!

Perfect match with your home

The range is featuring now, besides the powerful flood lights with one or two heads, a number of very elegant designs which make a perfect match with the architecture of your house. The 2 stand-alone PIR sensors with multiple controls make the range complete.

COMFORTABLE DETECTION REACH



DISTANCE




ANGLE



ADJUSTABLE

YOUR PERSONAL SETTINGS



FOR YOUR CONVENIENCE



DUSK TO DAWN



AMBIENT LIGHT





CLOUD
STORAGE



VOICE
CONTROL



Always connected with your home



As market initiator LUTEC is proud to present the 2nd generation of the connected camera range.

Improved camera & connectivity

This brand new range has been developed based on learning and consumer insights over the last 3 years and by applying the gains and innovations of the fast evolving connected technology.

Keep an eye at your front door

This has resulted in a limited range of compact and very convenient camera lighting fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.





Give it your own twist



LED's have drastically changed and influenced the creation of new lighting products. The offer is responding to architectural variety, location and living contexts.

Become a lighting architect

Need for efficiency but also for harmonious integration when using one or several products: wall, bollards or ceiling designs are diversified but work and can be complementary.

Twist & light!

New in the LUTEC offer: luminaires with rotating light heads for versatile applications resulting in a magical outdoor light effect.



Solar? Yes, please!

POPPY


LUTEC has a variety of different concepts covering the complete solar energy field.

A lighted flower

New in the portable offer is the POPPY Solar floor stand, the all in one lighting solution to enjoy your summer nights.

Party all night long

Designed for private gardens and for professional use on the terrace of your favourite restaurant or summer bar.



ARCHITECTURAL applies to all lighting installations for homes, terraces and gardens covering a contemporary and modern design.

LED's have drastically influenced the creation of new lighting products. Need for efficiency but also for harmonious integration when using one or several products : wall, bollards, ceiling and bulkhead designs. The offer is responding to architectural variety, location and living contexts. A good match can be found in between the luminaire and the architectural elements, in form, colour or material.

light up
your garden
in style

architectural

WALL	 NEW 5193801 CUBA / P2	 NEW 5198101 CYRA / P4	 NEW 5198102 CYRA / P4	 5614401 MINI LEDSPOT / P6	 5614402 MINI LEDSPOT / P6	 5614404 MINI LEDSPOT / P8	 5614405 MINI LEDSPOT / P8	 5626001 TRUMPET / P12	 5626002 TRUMPET / P12
	 6609202 EXPLORER / P14	 WIZ CONNECTED NEW 6609204 EXPLORER / P14	 5252101 ANDA / P18	 5616302 MERIDIAN / P20	 5616304 MERIDIAN / P20	 5187601 CONE / P24	 5188003 GHOST / P26	 NEW 5198701 WHISPER / P28	 5194301 ALICE / P30
	 5188801 APOLLO / P32	 5193001 QUBO / P34	 WIZ CONNECTED NEW 5193003 QUBO / P34	 5616602 ARMOR / P38	 5005103 FLAT / P40	 5033001 FACE / P42	 5033002 FACE / P42	 WIZ CONNECTED NEW 5194804 FARELL / P44	 5189401 EVEN / P46
	 NEW 5193602 ADALYN / P50	 5192901 MITO / P52	 5188601 BATI / P54	 5188602 BATI / P54	 WIZ CONNECTED NEW 5271002 SPICA / P58	 5192801 FACCIA / P60	 5189602 TONA / P62	 5189601 TONA / P62	 5189501 ZERTA / P64
	 5183601 CITY / P68	 5193201 LOTUS / P70	 5186004 EYES / P72	 5188201 SANDWY / P74	 5186902 PILO / P76	 5186202 EVANS / P78	 5186304 EVANS / P78	 5187901 SPLIT / P80	 5189102 GEMINI / P82
	 5183601 CITY / P68	 5193201 LOTUS / P70	 5186004 EYES / P72	 5188201 SANDWY / P74	 5186902 PILO / P76	 5186202 EVANS / P78	 5186304 EVANS / P78	 5187901 SPLIT / P80	 5189102 GEMINI / P82

architectural

SPIKE



6609201 EXPLORER / P16



6609205 EXPLORER / P16

BOLLARD



7193801 CUBA / P2



7214603 MINI LEDSPOT / P10



7214604 MINI LEDSPOT / P10



7226101 TRUMPET / P12



7225201 ANDA / P18



7216412 MERIDIAN / P22



7187611 CONE / P24



7193001 QUBO / P36



7193002 QUBO / P36



7216702 ARMOR / P38



7005201 FLAT / P40



7188601 BATI / P56




7271004 SPICA / P58



7008201 VIRGO / P94



7204803 FOCUS / P106



cuba

wall & bollard

Modern & versatile wall light suitable for vertical and horizontal mounting. The 2 light heads can be rotated over 350°, resulting in up – down or side light effects. Comes also in a 75cm bollard version.




5193801118

CLASS I
IP54
LED 23W
1000 Lumen
Die Cast Aluminium

A+

3000K




7193801118

CLASS I
IP54
LED 23W
1000 Lumen
Die Cast Aluminium

A+

3000K



cyra


wall

Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes also in a motion sensor version.


5198101118





CLASS I
IP54
LED 15W
1000 Lumen
Die Cast Aluminium

A+


5198102118

CLASS I
IP54
LED 15W
1000 Lumen
Die Cast Aluminium

A+



mini ledspot

wall

One or two light head versions. The light heads can rotate 320° and will give you a perfect solution as a spotlight or wall washer. It will create the desired ambiance.



5614401118

CLASS I
IP65
LED 9W
605 Lumen
Die Cast Aluminium

A+



5614402118

CLASS I
IP65
LED 18W
1210 Lumen
Die Cast Aluminium

A+



mini ledspot

wall

Exocentric led spot, one or two heads, with a double movement, rotation & inclination. Adjustable PIR motion sensor with a 150° detection area.





5614404118

CLASS I
IP54
LED 9W
605 Lumen
Die Cast Aluminium

A+

4000K





5614405118

CLASS I
IP54
LED 18W
1210 Lumen
Die Cast Aluminium

A+

4000K



mini ledspot

bollard



This bollard is the perfect companion to light the pathways & terraces in your garden. The multidirectional heads will always direct the LED light to the desired spot.



7214603118

CLASS I
IP65
LED 9W
605 Lumen
Die Cast Aluminium



A+



7214604118

CLASS I
IP65
LED 18W
1210 Lumen
Die Cast Aluminium

A+





trumpet

wall & bollard


Accentuate your outdoor places with this minimalistic yet powerful LED wall light with moveable spotlight. Large execution featuring a super powerful light beam of 1700 lumen. The 85cm bollard version makes the family complete.



5626001118

CLASS I
IP54
LED 11W
850 Lumen
Die Cast Aluminium


A+



5626002118

CLASS I
IP54
LED 16W
1700 Lumen
Die Cast Aluminium


A+



7226101118

CLASS I
IP54
LED 11W
850 Lumen
Die Cast Aluminium

A+



explorer

wall

Elegant and compact spotlight, orientable horizontally and vertically, featuring a warm white LED light beam. The new version with the WIZ connected light module gives you endless possibilities of light control.




6609202118

CLASS I
IP54
LED 5.3W
380 Lumen
Die Cast Aluminium




3000K



6609204118

CLASS I
IP54
LED 7W
430 Lumen
Die Cast Aluminium



► Also available in **WiZ** connected version

explorer

spike

Elegant and compact spotlight on a spike, orientable horizontally and vertically, featuring a warm white LED light beam. The separate spot-cap can be used to direct the light beam to avoid any glare. Also available with WiZ connected light module.




6609201118

CLASS I
IP54
LED 5.3W
380 Lumen
Die Cast Aluminium

A+

3000K




6609205118

CLASS I
IP54
LED 7W
430 Lumen
Die Cast Aluminium

A+

3000K



► Also available in **WiZ** connected version

anda


wall & bollard

Wall light with a 1000 lumen light output, can be mounted at a certain height to illuminate a large area. The elegant but robust bollard will integrate well in your garden. The powerful light output will give a strong light but not dazzle people passing by.




5252101118

CLASS I
IP54
LED 18W
1040 Lumen
Die Cast Aluminium



7225201118

CLASS I
IP65
LED 18W
1040 Lumen
Die Cast Aluminium



meridian

wall

Elegant combination of anthracite grey aluminium body and opal white polycarbonate diffuser. Small sized wall light gives a strong diffused light and a design statement in your garden. Now also available with an adjustable motion sensor, perfectly integrated in the luminaire base.




5616302118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A+

3000K





5616304118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A+

3000K



meridian

bollard

Bollard at a perfect height which gives your pathway, terrace and garden the desired atmosphere at night without any glare.



7216412118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A+

3000K



cone

wall & bollard


Straightforward design yet solid in function
offering a powerful light output.
Easy to install bollard ideal along your driveway
or pathway.



5187601118

CLASS I
IP54
LED 12W
780 Lumen
Die Cast Aluminium


A+



7187611118

CLASS I
IP54
LED 12W
780 Lumen
Die Cast Aluminium

A+



ghost

wall

Very sleek oval design which discretely gives an indirect light, resulting in a distinctive beam pattern.




5188003118

CLASS I
IP54
LED 7W
360 Lumen
Die Cast Aluminium

A+

4000K



whisper

wall

Modern round shaped wall light with retrofit solution. The synthetic housing makes it suitable for all types of smart connected bulbs working on different technologies : WiFi, Bluetooth, Ziggy.




suitable for smartbulb



5198701001

CLASS II
IP44
E27 Max.25W
Stainless Steel



alice

wall

The square light-strip creates a fascinating almost fluid effect.

The house number sticker set makes the package complete.




+ 1 · A

5194301118

CLASS I
IP44
LED 13W
800 Lumen
Die Cast Aluminium

A+

3000K





5194302118

CLASS I
IP44
LED 13W
800 Lumen
Die Cast Aluminium

A+

3000K



apollo

wall

Wall light with an optimal light combination. The narrow light beam shows a visually striking effect and the front diffuser radiates a homogeneous warm white LED light without any shadow. Ideal companion next to your front door.




5188801118

CLASS I
IP54
LED 14W
800 Lumen
Die Cast Aluminium

A+

3000K



qubo

wall


Wall light creating a stunning atmosphere while making an architectural statement. Ideal for general lighting in your garden or on your terrace. Now also available with integrated WiZ connected light module.



5193001118

CLASS I
IP54
LED 18W
1100 Lumen
Die Cast Aluminium


A+ 3000K



5193003118

CLASS I
IP54
LED 16W
1000 Lumen
Die Cast Aluminium

A+



► Also available in **WiZ** connected version



qubo

bollard

Bollard light creating a stunning atmosphere while making an architectural statement. Ideal for general lighting in your garden or driveway. Now also available with integrated WiZ connected light module.



7193001118

CLASS I
IP54
LED 18W
1100 Lumen
Die Cast Aluminium

A+

3000K



7193002118

CLASS I
IP54
LED 16W
1000 Lumen
Die Cast Aluminium

A+

3000K



► Also available in **WiZ** connected version



armor

wall & bollard

Cube wall & bollard light with 4 die-cast aluminium corners, protecting the opal polycarbonate diffuser, but also giving a subtle design character.




5616602118

CLASS I
IP54
LED 9W
650 Lumen
Die Cast Aluminium

A+

3000K




7216702118

CLASS I
IP54
LED 9W
650 Lumen
Die Cast Aluminium

A+

3000K



Flat

wall & bollard


Very easy to install, first mount the stainless steel wall bracket or post and then just slide on the diffuser part.



5005103001

CLASS I
IP44
LED 8W
500 Lumen
Stainless Steel

A+ 
3000K



7005201001

CLASS I
IP44
LED 8W
400 Lumen
Stainless Steel

A+ 
3000K



Face

wall

Robust yet elegant stainless steel wall light, big surface diffuses warm white light radiation. Discrete position of the adjustable PIR motion sensor.




5033001001

CLASS II
IP44
LED 13W
800 Lumen
Stainless Steel

A+

3000K





5033002001

CLASS II
IP44
LED 13W
800 Lumen
Stainless Steel

A+

3000K



Farell

wall


Robust yet elegant stainless steel wall light with integrated WiZ connected light module. The big diffusor surface features a homogeneous light in every desirable light color or intensity.



5194804001

CLASS II
IP44
LED 14W
900 Lumen
Stainless Steel

A+



► Also available in **WiZ** connected version

even

wall & ceiling

Elegant & flat design offering a strong and homogeneous diffused warm white LED light without any shadows.




5189401112

CLASS I
IP54
LED 15W
650 Lumen
Die Cast Aluminium

A+


3000K



seco

wall

The clever designed aluminum backside of this fixture, offers an easy installation. The diffuser will give a floating effect on your walls.



5189901118

CLASS I
IP54
LED 13W
770 Lumen
Die Cast Aluminium

A+

3000K



adalyn

wall

This compact wall light will turn your garden into an intimate place and welcomes you at home.
Smooth radiation of warm white LED light.




5193602118

CLASS I
IP44
LED 10W
600 Lumen
Die Cast Aluminium

A+

3000K



mito

wall

Featuring a double glass design, this Up & Down wall light creates a magical effect on your external walls or near your entry door.




5192901118

CLASS I
IP54
LED 17W
800 Lumen
Die Cast Aluminium

A+


3000K



bati

wall

Modern & stylish wall light with integrated LED light and optional PIR sensor. Ideal for your front door or garden walls.



5188601125

CLASS I
IP44
LED 14W
1100 Lumen
Die Cast Aluminium

A+



5188602125

CLASS I
IP44
LED 14W
1100 Lumen
Die Cast Aluminium

A+



bati

bollard


Modern and stylish bollard with integrated LED light source. Ideal for your driveway or garden path in a multiple installation.



7188601125

CLASS I
IP44
LED 14W
1100 Lumen
Die Cast Aluminium

A+



4000K



61°



spica

wall & bollard

Contemporary designed wall & bollard light with a distinctive shaped diffusor gives your garden an elegant look.

Comes with an integrated WiZ connected light module resulting in endless possibilities to control the powerful LED light.



► Also available in **WiZ** connected version



5271002118

CLASS I
IP54
LED 16W
800 Lumen
Die Cast Aluminium

A+



7271004118

CLASS I
IP65
LED 16W
800 Lumen
Die Cast Aluminium

A+



Faccia

wall

Powerful & warm white light right to the area where it's needed. Subtle light beam at the back gives a nice glow on your external wall.




5192801118

CLASS I
IP54
LED 20W
1000 Lumen
Die Cast Aluminium

A+

3000K



tona

wall


Thanks to the die-cast aluminum frame in one single piece, the smooth and gracious line is accentuated. The white opal diffuser with concentric circles is giving the right direction to the light and showing a subtle decorative detail during the day. Comes also with a build-in & adjustable motion sensor.



5189601118

CLASS I
IP44
LED 9W
600 Lumen
Die Cast Aluminium



A+ 3000K



5189602118

CLASS I
IP44
LED 9W
600 Lumen
Die Cast Aluminium


A+ 3000K



zerta

wall

The almost invisible "Stealth" form of this amazing wall light, houses a super powerful LED light-engine radiating a diffuse light. Best used at a certain height to light larger surfaces.





5189501118

CLASS I
IP44
LED 30W
2090 Lumen
Die Cast Aluminium

A+

3000K



box cube

wall

Striking form fits in all your contemporary garden spaces. The opal impact proof diffuser offers the perfect homogeneous light without any shadows. Elegant construction with no screws on the surface. The E27 Edison fitting is suitable for energy saving lamps up to 15W.




suitable for smartbulb



5184601118

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium





suitable for smartbulb



city


wall

Large size and robust wall light, fit to lighten large areas both in public or private places. The impact proof polycarbonate diffuser in combination with the sturdy die cast aluminum frame will make this fixture destruction proof.



5183601118

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium



lotus

wall

Captivating design with a beautiful up & down light effect. This elegant wall light is the perfect addition to your entry door.




5193201118

CLASS I
IP54
LED 11W
500 Lumen
Die Cast Aluminium

A+


3000K



eyes

wall

Eye-catching "pacmann" form, radiating an indirect beam. No visible screws on the sleek surface in combination with a ribbed heat-ventilating aluminum base.





5186004118

CLASS I
IP54
LED 9W
370 Lumen
Die Cast Aluminium

A+


3000K



sandwy

wall


The double light effect in the front and downwards, creating a nice beam pattern and a subtle decorative accent. The one piece die cast aluminum frame creates a sleek & elegant look.



5188201118

CLASS I
IP44
LED 9W
324 Lumen
Die Cast Aluminium

A+



pilo

wall

Unique design radiating a glow in 4 directions, giving a distinctive light effect on your outdoor walls.

Ingenious construction without any screws: the frontal aluminum cover is fixed in the right position thanks to a magnet.





5186902118

CLASS I
IP54
LED 11W
760 Lumen
Die Cast Aluminium

A+

4000K


—| 78 |—



evans


wall

This minimalistic aluminum wall light shows a visual striking effect thanks to the use of a narrow beam lens. The square execution radiates 4 perfect "laser" beams on your wall.




5186202118

CLASS I
IP54
LED 6W
N:55 Lumen
W:55 Lumen
Die Cast Aluminium




57 Lumen 55 Lumen




5186304118

CLASS I
IP54
LED 10W
N:165 Lumen
W:55 Lumen
Die Cast Aluminium



3x55 Lumen 57 Lumen



split

wall

With this elegant up & down wall light your garden will get a modern look. The distinctive ribs are showing a nice decorative detail but also suits the heat ventilation which results in a longer lifetime for the LED module. The construction makes this article safer and suitable to use in wet indoor places like bathrooms.




5187901000

CLASS II
IP44
LED 9W
480 Lumen
Die Cast Aluminium

A+

4000K



gemini

wall


Minimalistic design but great light output. This elegant "brick" light in die-cast aluminum radiates a perfect bi-directional beam. Comes in anthracite grey, white and stainless steel version.



5189102118
5189102032
5189103118

CLASS I
IP54
LED 10.5W
500 Lumen
Die Cast Aluminium


A⁺



5189113118

CLASS I
IP54
LED 10.5W
500 Lumen
Die Cast Aluminium


A⁺



gemini

wall

The medium version is very convenient for an installation on larger external wall or entrances. Thanks to the light output of 1200 lumen the light beam will cover the full surface in two directions. Comes in three different versions.




► Also available in **WiZ** connected version



5189101118

CLASS I
IP54
LED 20W
1230 Lumen
Die Cast Aluminium


A+



5189112118

CLASS I
IP54
LED 20W
1230 Lumen
Die Cast Aluminium


A+



5189111118

CLASS I
IP54
LED 18W
900 Lumen
Die Cast Aluminium


A+



gemini

wall

The large version in this family is very convenient for an installation at a certain height for larger external walls or entrances. Thanks to a light output of more than 3000 lumen, the light beam will cover the full surface in two directions.




5189104118

CLASS I
IP54
LED 42W
3300 Lumen
Die Cast Aluminium

A+


4000K



gemini


wall

Timeless design with a touch of quality. Up & down light with brushed premium stainless-steel cover. Small size is slim and efficient, medium size is robust and powerful.






5189001118

CLASS I
IP54
LED 24W
1240 Lumen
Stainless Steel



5189002118


CLASS I
IP54
LED 9W
500 Lumen
Stainless Steel



maya

wall

This small Up & Down wall light in Aluminium with stainless steel cover has a timeless design and is slim and efficient. Rectangular version comes with motion sensor.




5198302001

CLASS I
IP44
LED 15W
1000 Lumen
Stainless Steel

A+

3000K





5198401001

CLASS I
IP44
LED 15W
1000 Lumen
Stainless Steel

A+



3000K



crystal

wall

Combination of brushed stainless steel housing and an optical lens, resulting in a magical and perfect aligned up & down beam pattern on your wall.




5521201001

CLASS I
IP44
LED 10W
660 Lumen
Stainless Steel

A+

3000K




5521601001

CLASS I
IP44
LED 10W
660 Lumen
Stainless Steel

A+

3000K



virgo

wall & bollard

Elegant stainless steel outdoor wall & bollard light that represents contemporary design with a distinctive shaped diffuser.



5008101001

CLASS I
IP44
LED 3.7W
350 Lumen
Stainless Steel

A+

3000K



7008201001

CLASS I
IP44
LED 3.7W
350 Lumen
Stainless Steel

A+

3000K



luca

wall

Small and straightforward Up & Down light in brushed stainless steel. Limited distance from the surface. Round & square version.




5510805001

CLASS I
IP44
LED 18W
1000 Lumen
Stainless Steel



3000K




5002301001

CLASS I
IP44
LED 11W
600 Lumen
Stainless Steel



3000K



leo

wall

Magical wall light. The shiny silver coating makes it look like an invisible piece of lighting. Features a strong light beam up & down and a vertical light-strip in the front. The effect will be amplified in a multiple arrangement.


5192701118

CLASS I
IP54
LED 14W
870 Lumen
Die cast Aluminium
Chrome coating

A+


3000K


5192701335

CLASS I
IP54
LED 14W
870 Lumen
Die Cast Aluminium

A+

3000K



path

wall

Stainless steel Up & Down light with a discrete glowing part on both sides. Comes also in PIR motion-sensor version, very elegant incorporated and with a large detection reach.




5605701112

CLASS I
IP54
LED 15W
800 Lumen
Stainless Steel

A+

3000K






5605702112

CLASS I
IP54
LED 16W
800 Lumen
Stainless Steel

A+

3000K



path

wall

Stainless steel Up & Down light with a discrete glowing part on both sides. Comes also in PIR motion-sensor version, very elegant incorporated and with a large detection reach.




5605801112

CLASS |
IP54
LED 15W
800 Lumen
Stainless Steel

A+

3000K





5605802112

CLASS |
IP54
LED 15W
800 Lumen
Stainless Steel

A+

3000K





Focus

wall

Heavy duty die-cast aluminum versions available in anthracite & silver-grey color in combination with clear glass diffusers, giving a robust construction and a perfect light radiation both functional as decorative.




suitable for smartbulb




5604011118
5604011112

CLASS I
IP44
GU10 Max.2*35W
Die Cast Aluminium



5604101118

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium




Focus

wall

Cylindrical versions with the very typical single or double horizontal light glow. This range is equipped with a traditional GU10 fitting and are suitable for halogen bulbs as for retrofit LED bulbs.




suitable for smartbulb



6304201118

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium



7204803118

CLASS I
IP44
GU10 Max.35W
Die Cast Aluminium



Focus

wall

Square execution in die-cast aluminum, with an integrated LED engine comes in a downlight version and in an up & down light version.




5605013118

CLASS |
IP44
LED 7.6W
300 Lumen
Die Cast Aluminium



4000K




5605103118

CLASS |
IP44
LED 3.8W
150 Lumen
Die Cast Aluminium



4000K



ublo

wall & ceiling

Compact & elegant fixture producing a perfect uniform and homogenous warm white LED light without any shadow.
Easy access to the connection part by removing click-on front plate.




6348102112

CLASS I
IP54
LED 8W
420 Lumen
Die Cast Aluminium



3000K




6350102112

CLASS I
IP54
LED 8W
420 Lumen
Die Cast Aluminium



3000K



6349102112

CLASS I
IP54
LED 8W
420 Lumen
Die Cast Aluminium



3000K



ublo

wall & ceiling

Large size with same design & functionalities. Double lumen output makes it very suitable for illuminating a large space.




6348101112

CLASS I
IP54
LED 16.5W
950 Lumen
Die Cast Aluminium



3000K




6350101112

CLASS I
IP54
LED 16.5W
950 Lumen
Die Cast Aluminium



3000K



6349101112

CLASS I
IP54
LED 15W
950 Lumen
Die Cast Aluminium



3000K



origo

wall & ceiling

The specific positioning of the opal polycarbonate diffuser creates a very nice circular glow on your external walls or ceilings.

Now also available in LED integrated version, with an improved homogeneous light without any shadows.




► Also available in **WIZ** connected version



6335142118

CLASS I
IP54
LED 16W
1000 Lumen
Die Cast Aluminum

A+



titan

wall & ceiling

Medium sized wall & ceiling light with a decorative aluminium cover creating the desired effect for the location. With traditional Edison fitting, it is suitable for energy saving bulbs, up to 20W. Easy installation with a standard loop in loop out wiring option.




suitable for smartbulb



6336201118

CLASS I
IP54
E27 Max.60W
Die Cast Aluminum



seine


wall & ceiling

Robust heavy duty die-cast aluminium fixture. This large model with two traditional E27 fittings, is suitable for energy saving bulbs of up to 20W offering a very powerful light output. The soft glowing light effect to the back creates a "floating" impression. Ideal for creating a safe atmosphere around your home at night.



6338201118

CLASS I
IP54
E27 2*20W CFL
Die Cast Aluminum



suitable for smartbulb



helena

wall

Orientation wall light with opal diffuser or directed down light. Very convenient built-on installation. Thickness of the luminaire is not more than 30mm. No more hassle to make a hole in your garden walls.



5191601118

CLASS I
IP54
LED 10.5W
400 Lumen
Die Cast Aluminum

A+  4000K



5191602118

CLASS I
IP54
LED 10.5W
400 Lumen
Die Cast Aluminum

A+  4000K



bonn

wall

This elegant anthracite or stainless steel wall light fits in perfectly with your contemporary outdoor surrounding. It creates a perfect bi-directional light effect on your walls. The small vertical window in the front adds to the character.


The traditional E27 fitting is suitable for energy saving bulbs but also for the latest LED retro-fit bulbs.

suitable for smartbulb



6330401118

CLASS I
IP54
E27 Max.60W
Die Cast Aluminum



6330402001

CLASS II
IP44
E27 Max.40W
Stainless Steel



tradition

TRADITION applies to all lighting installations for homes, terraces and gardens, covering a more classical design. Revisiting the traditional lantern theme with LED integrated versions. The Edison-fitting versions are suitable for the newest vintage filament LED bulbs, resulting in a perfect combination between new technology and authentic style. Matching with all kind of traditional homes : Classic, Vintage, Cottage. Resulting in a harmonious integration when using one or several products of the same family: wall lantern, pedestal, small and big lantern posts.

there's a new
tradition

tradition

WALL



5240101 ZOE / P124



5260101 UNITE / P126



5260101 UNITE / P126



5260103 UNITE / P126



5260103 UNITE / P126



5260201 UNITE / P126



5260201 UNITE / P126



5185901 AQUARIUS / P130



5185701 STARRY / P132



5241101 HOM / P134



5273701 KELSEY / P136



5273601 KELSEY / P136



5264201 CATE / P140



5274601 DARLI / P142

NEW

BOLLARD



7260401 UNITE / P128



7260401 UNITE / P128



7260311 UNITE / P128



7260311 UNITE / P128



7273602 KELSEY / P138



7273601 KELSEY / P138



7264210 CATE / P140



7264230 CATE / P140

zoe

wall

Compact, vintage look lantern. Fits in all traditional surroundings. Incorporated LED tile radiates a gentle & warm light.




5240101012

CLASS I
IP54
LED 9W
330 Lumen
Die Cast Aluminum

A+

3000K



unite

wall

Complete collection, up & down lantern, pedestal and small post all in heavy duty die-cast aluminum and a transparent impact proof polycarbonate diffuser. The warm white light gives a cozy and traditional aspect. Now also available in white powder coating.




5260101012
5260101030

CLASS I
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+

3000K





5260103012
5260103030

CLASS I
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+

3000K




5260201012
5260201030

CLASS I
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+

3000K



unite

bollard

Complete collection, up & down lantern, pedestal and small post all in heavy duty die-cast aluminum and a transparent impact proof polycarbonate diffuser. The warm white light gives a cozy and traditional aspect. Now also available in white powder coating




7260401012
7260401030

CLASS I
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+

3000K



7260311012
7260311030

CLASS I
IP44
LED 9W
330 Lumen
Die Cast Aluminium

A+

3000K



aquarius

wall

The authentic feel of this wall lantern fits perfectly to the country house style. The LED light source is perfectly integrated and gives a charming warm white light in combination with the transparent bubble glass diffuser.



5185901012

CLASS |
IP44
LED 17W
700 Lumen
Die Cast Aluminium

A+

3000K



starry

wall

Cottage style rectangular wall light. With water glass. The invisible LED light source is perfectly placed to create a very charming warm white light in combination with the water drop glass.




5185701012

CLASS I
IP54
LED 16W
600 Lumen
Die Cast Aluminium

A+

3000K



hom

wall


Coach lantern with perfect "candle" light glow. The clear glass in combination with the LED light module offers a perfect radiation and high efficacy.


5241101012

CLASS I
IP44
LED 16W
400 Lumen
Die Cast Aluminium

A+

3000K



128°

kelsey

wall

Give your outdoor spaces an intimate look and feel with this complete outdoor light family. While using the newest "filament" retrofit LED bulbs behind the water glass diffuser, you will create a charming atmosphere.




suitable for smartbulb




5273701012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



5273601012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



kelsey

bollard

Give your outdoor spaces an intimate look and feel with this complete outdoor light family.

While using the newest "filament" retrofit LED bulbs behind the water glass diffuser, you will create a charming atmosphere.



suitable for smartbulb



7273602012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



7273601012

CLASS I
IP44
E27 Max.40W
Die Cast Aluminium



cate

wall & bollard


This complete family with an authentic feel will turn your garden into a cozy & warm atmosphere, while using the newest "filament" LED bulbs.

suitable for smartbulb




7264210213

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium




7264210213

CLASS I
IP44
E27 Max.60W
Die Cast Aluminium



7264230213

CLASS I
IP44
3*E27 Max.60W
Die Cast Aluminium





darli

wall down

Coach lantern with traditional finish and powerful warm white LED light.


Thanks to the built-in bluetooth speaker you can enjoy your favourite music outside your house all day & night.



5274601412

CLASS I
IP44
LED 24W
1500 Lumen
Die Cast Aluminium

A+ 
3000K



solar?
yes, please!

SOLAR covers a variety of different concepts in the field of renewable energy lighting solutions. The portable range illustrates light mobility, pleasant and ubiquitous to use. The wall lights and bollards are built following two principles, using an integrated or independent solar panel, quick and easy to install. Today the highly efficient solar panel in combination with powerful LED modules are giving a really satisfactory light level. Making the most out of the available solar energy is cleverly realised by intelligent user interfaces such as 3-step dimmers, timers and PIR-sensors.

solar

PORTABLE



6910802 POPPY / P144



6908003 TABLE CUBE / P146




6908001 TABLE CUBE / P146



6908001 TABLE CUBE / P146



6908001 TABLE CUBE / P146



6908001 TABLE CUBE / P146



6908002 TABLE CUBE / P148



6907701 PADLIGHT / P150



6907701 PADLIGHT / P150



6907701 PADLIGHT / P150



6904101 DRAGONFLY / P152



6904101 DRAGONFLY / P152



6904101 DRAGONFLY / P152



6904101 DRAGONFLY / P152

WALL INTEGRATED PANEL



6914401 MINI LEDSPOT / P154



6914402 MINI LEDSPOT / P154



6903401 ZERTA / P156



6910601 ARROW / P158



6908501 BRICK / P160



6901501 BREAD / P162



6908701 BUBBLE / P164



6908901 TWILL / P166



6906702 DISO / P168



6907901 SOLSTEL / P170



6901401 GHOST SOLAR / P172



6901101 ZETA / P174



9700308 POLE / P176



6901201 TILLY / P178

BOLLARD INTERGRATED PANEL



6906703 DISO / P168



6907903 SOLSTEL / P170



6951301 LONDON / P180

WALL INDEPENDENT PAN



6925601 SUNSHINE / P182



6901601 SUNSHINE / P184

complete lighting solution: green & convenient


Solar Energy,
no electricity consumption


No electrical wiring,
no connection to the mains


Powerful LED Light


Full comfort
Autonomy all night long


Clever & multiple
control options


Easy and fast installation


Portable


Integrated solar panel


Separate Solar panel

nice to know





Solar Energy Battery Energy



Battery Energy Light Output

Longer light or more powerful light



High efficiency monocrystalline
or polycrystalline solarpanel



LED module with strong light output:
100 lumen up to 500 lumen



Li-ion rechargeable battery included



Integrated dusk to dawn sensor,
automatic switch to light-on during night



Weatherproof materials and finishing



how to choose



solar panel Integrated

Compact, no extra wiring



Separate
Higher solar energy capacity



orientation of solar panel Fixed

The luminaire should be placed in
the most optimal position; south
orientation



Adjustable

The panel can be oriented in the most
efficient position; south orientation
(tilt angle 35° in summer - 65° in
winter)



orientation of LED light Fixed

Diffuse light - Up & down light



Adjustable
Directional spotlight



clever control PIR motion sensor

Smart use of the available solar energy
Always light when somebody is passing



High-Medium-Low switch

Personalized choice to come to ideal
combination of light output and
autonomy

poppy

portable post

All in one Solar lighting solution. Trendy & convenient design. Listen to your favourite music on your terrace or in your garden during a lovely summer night.



1	500lm	2.5H
2	200lm	6H
3	50lm	24H
4		OFF


6W
monocrystalline



6910802335

CLASS III
IP54
LED 8W
1*4400mAh 3.7V
Li-ion battery
500 Lumen
Synthetics

3000K



Bluetooth



POPPY



table cube

portable

Handy & movable outdoor solar table light. The 3 step dimmer will always give you the right atmosphere in combination with a sufficient autonomy. Comes in 3 vivid colours & a stylish silver grey. Now also available in the colour changing RGB version. With the touch dimmer you can dim the white light or choose one of the 4 bright colours.






1	100lm	4H
2	40lm	10H
3	10lm	40H
4		OFF

1W
polycrystalline

1	100lm	4H
2	10lm	40H
3	4 5 6 7	4H
6		4H
7		OFF




-  **6908001337**
-  **6908001331**
-  **6908001339**
-  **6908001340**


 **6908003331**

CLASS III
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

3000K



CLASS III
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics





RGB



table cube

portable

Bring Solar light in every corner of your garden.
Bollard easily adjustable to full & medium height.
Ground spike included. Comes with a 3 step dimmer.




1	100lm	4H
2	40lm	10H
3	10lm	40H
4		OFF

1W
polycrystalline

6908002337

CLASS III
IP44
LED 1W
1*1200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

3000K



padlight

portable

Compact portable solar light. The ideal companion for your outdoor journeys. Versatile with multiple positions. Can be placed on a surface, hooked or suspended. The light panel radiates a very uniform light without any shadow. A 3-step dimmer with the possibility to optimise the light output & autonomy according to your needs. The USB cable (included) allows also to charge via an electrical network. Recharge your mobile phone.



1	200lm	3H
2	80lm	9H
3	20lm	36H
4		OFF

1.4W
monocrystalline




6907701331

6907701339

6907701340

CLASS III
IP44
LED 2.4W
1*2500mAh 3.7V Li-ion battery
200 Lumen
Synthetics



dragonFly

portable

In the "open" position this portable solar lamp will accumulate sufficient solar energy during the daytime or alternatively be charged through a built-in USB connector and included cable. In closed position it will give an inviting light when it is dark. Comes with 3 step dimmer. Available in 4 fresh colours.



1	120lm	4H
2	50lm	10H
3	10lm	40H
4		OFF


2*0.8W
polycrystalline



- 6904101337**
- 6904101331**
- 6904101339**
- 6904101340**

CLASS III
IP54
LED 1.2W
1*2200mAh 3.7V Li-ion battery
120 Lumen
Synthetics

4000K



mini ledspot

integrated panel

Wall light with integrated solar panel, single and double-head spot light versions. This will assure you an optimal solar efficiency. The bright LED spotlight can be orientated in all directions. The three step dimmer offers you the choice between bright and long-lasting light.



1	100lm	6H
2	50lm	10H
3	30lm	21H
4		OFF



1.4W
monocrystalline



1	200lm	6H
2	100lm	10H
3	60lm	21H
4		OFF




3.6W
monocrystalline



6914401000

CLASS III
IP44
LED 1W
1*2200mAh 3.7V
Li-ion battery
100 Lumen
Synthetics

4000K



6914402000

CLASS III
IP44
LED 2W
1*2200mAh 7.4V
Li-ion battery
200 Lumen
Synthetics

4000K



zerta

integrated panel

Very sleek & elegant design, almost invisible.

The high capacity, perfectly integrated mono-crystalline solar panel can charge solar energy very efficiently. This energy can be used to radiate a powerful and long-lasting light during your hot summer nights.




3.6W
monocrystalline

1	5h	ON
2		OFF

6903401000

CLASS III
IP44
LED 3W
1*2200mAh 7.4V Li-ion battery
200 Lumen
Synthetics

4000K
255



arrow

integrated panel

Very compact Solar wall light. The small size and light weight assures an easy mounting on the smallest surfaces. Sensor-switched and executed with an inclined solar panel for a better sunlight capture.




1W
polycrystalline

1	160times	ON
2		OFF

6910601335

CLASS III
IP44
LED 2.3W
1*1200mAh 3.7V Li-ion battery
180 Lumen
Synthetics

5000K



brick

integrated panel

Minimalistic design, easy installation on all different surfaces. Elegant built-in motion sensor with wide angle and large reach will capture every movement. Time & Light sensitivity regulation possible with levers at the inside.




1	120times	AUTO
2	2h	ON
3		OFF



1.5W
polycrystalline

6908501308

CLASS III
IP44
LED 2W
1*2200mAh 3.7V Li-ion battery
150 Lumen
Synthetics



bread


integrated panel

Compact and easy to install solar wall light.
Fits perfectly to many different outdoor styles.
The built-in motion sensor assures you a welcoming
light throughout the night.



1	160times	AUTO
2	4h	ON
3		OFF


1W
polycrystalline



6901501000

CLASS III
IP44
LED 1.2W
1*2200mAh 3.7V Li-ion battery
100 Lumen
Synthetics

4000K



bubble

integrated panel

Half-globe solar light radiating a homogenous light. The PIR motion sensor, nicely incorporated in the stainless steel ring, will capture all movement and assures a powerful light any time somebody is passing throughout the night.



1	190times	AUTO
2	3h	ON
3		OFF




1.5W
polycrystalline

6908701001

CLASS III
IP44
LED 2.3W
1*2200mAh 3.7V Li-ion battery
200 Lumen
Synthetics


4000K



twill

integrated panel

Up & Down light feature, now also available in Solar version. Nice two direction & wide light beam on your wall. The integrated Solar panel is fully part of the design and completely out of view. Featuring a wide angle motion sensor.




1	120times	AUTO
2	27h	ON
3		OFF

1.5W
polycrystalline

6908901335

CLASS III
IP54
LED 2.2W
1*1200mAh 3.7V Li-ion battery
200 Lumen
Synthetics

4000K



diso

integrated panel

Solar panel is perfectly integrated in the ingenious design. Ready to capture the full sunlight. Moveable head will orientate the light beam to the desired spot. The wall version comes with a PIR motion sensor which assures you a power full light any time someone is passing. Bollard version mountable with screws or with included ground spike.



1.5W
polycrystalline



1	130times	AUTO
2	5h	ON
3		OFF



1	200lm	2H
2	100lm	5H
3		OFF

6906702335

CLASS III
IP44
LED 2W
1*2200mAh 3.7V
Li-ion battery
200 Lumen
Synthetics



6906703335

CLASS III
IP44
LED 2W
1*2200mAh 7.4V
Li-ion battery
200 Lumen
Synthetics




solstel

integrated panel

Solar wall light with an opal diffuser, gives a powerful and diffused light throughout the night thanks to the motion sensor option. The light part can be installed without any tools. The house number sticker set makes the package complete.

The bollard version has the same functionalities and is easy to mount with screws or with a ground spike (included)



1	150times	AUTO
2	2.5h	ON
3		OFF

1W
monocrystalline


6907901000

CLASS III
IP44
LED 1.3W
1*2200mAh 3.7V
Li-ion battery
100 Lumen
Stainless steel



6907903001

CLASS III
IP44
LED 2.3W
1*2200mAh 3.7V
Li-ion battery
150 Lumen
Stainless steel



ghost solar

integrated panel

Sleek and elegant design.
This wall washer with integrated solar panel and wide angle PIR motion sensor offers you a strong light when needed.




1	80times	AUTO
2	2h	ON
3		OFF

1.5W
polycrystalline

6901401337

CLASS III
IP44
LED 2.4W
1*2200mAh 3.7V Li-ion battery
260 Lumen
Synthetics

4000K



zeta

integrated panel

This wall light offers you the complete freedom to orientate the solar panel and the light panel in the optimum direction. In combination with the PIR motion sensors it will give a strong light to any outdoor space.




1	120times	AUTO
2	2h	ON
3		OFF



1.5W
polycrystalline

6901101000

CLASS III
IP44
LED 1W
3*1800mAh 1.2V Ni-MH AA battery
200 Lumen



pole

The solar wall lights BREAD, ZETA & DROP can be mounted easily and without any tools on an independent post, creating a perfect bollard solution. The post can be screwed on a solid surface or put into the ground thanks to the included spike. The post contains 3 tubes giving the option to vary the height up to 1 meter.



9700308112

Color silver (si)
for
6901101000
6901301337
6901501000



tilly

integrated panel

A slim, futuristic design. The sleek adjustable spot heads can be orientated under the solar panel surface, giving multiple directions and powerful light beams. In combination with the subtle and centrally positioned PIR sensor, it will detect any movement throughout the night and will illuminate any foreseen or unforeseen guest.




1	120times	AUTO
2	2h	ON
3		OFF

3.5W
polycrystalline

6901201000

CLASS III
IP44
LED 4W
1*2200mAh 7.4V
Li-ion battery
420 Lumen
Synthetics

4000K





london

integrated panel

Classic 6 side lantern powered with Solar energy. The almost invisible Solar panel at the roof of the lantern has a large capacity, with an autonomy of more than 10 hours during night time. Comes with 3 retrofit filament bulbs, creating a warm & gentle light. The die-cast aluminium post can be mounted on a paved surface thanks to the included metal mounting bracket. For unpaved surfaces, you can use the special spike, available as an accessory.



 6W Monocrystalline  OFF AUTO	Estimated Light Run Time for Different Seasons		
	Winter	Spring	Summer
 300 lumen	(101W/㎡) 03h40	(332W/㎡) 08h00	(603W/㎡) 10h00
Actual run time may vary depending on your specific location			

6951301189


CLASS III
IP44
LED 6W E12/incl.
1*2200mAh 7.4V
Li-ion battery
300 Lumen
Die Cast Aluminium

2700K




9700359330

Synthetics



9700357000

LED 2W
250 Lumen



sunshine

independent panel

Elegant & powerful flood light offers a complete solution wherever there's no electrical power connection available. Ideal for illuminating your courtyards & driveways. The separate moveable solar panel comes with a 5 meter connection cable and can be positioned on the best spot to capture sunlight. Featuring an adjustable (time & distance) PIR motion sensor.



6925601345

CLASS III
IP44
LED 7.5W
1*2200mAh 3.7V
Li-ion battery
500 Lumen
Synthetics





1 240times 30S



1.4W polycrystalline
(5 meter cable)


5000K



DISTANCE
L H H
RES. 1 2 3
DUSK TO DAWN
TIME
RES. 1 2 3
1 MIN 3 MIN





Wiring system





Wiring system



sunshine

independent panel

This wall light offers a complete security light installation without any wiring to the electricity network. The separate adjustable solar panel with its 5 m cable can be positioned on the optimum spot to capture sunlight all day long.

Comes with an adjustable (time & distance) PIR motion sensor. The movable spot head will give more than 350 lumen.



6901601000

CLASS III
IP44
LED 3.2W
1*2200mAh 3.7V
Li-ion battery
360 Lumen
Synthetics


4000K



1	120times	ON
2		OFF



1.5W polycrystalline
(5 meter cable)



security for your comfort

SECURITY consists of a versatile range focussing on safety applications around homes.

The **InMotion concept** offers a complete range of Security Sensor Lights, featuring powerful flood lights and a number of elegant wall lights. The integrated PIR-sensor equipped with multiple parameter settings enables the installation of a perfect detection system.

The **SECURY'LIGHT concept** and the new **CAMERA LIGHT concept** presenting outdoor luminaires with an integrated connected camera, fully controlled through the LUTEC app's running on smart devices.

camera



CAMERA							 NEW	 NEW	 NEW
	7625501 ESA / P186	7625501 ESA / P186	7629502 PERI / P188	7632401 LIBRA / P190	5190601 VESTA / P192	5267101 ELARA / P194	5267101 ELARA / P194	5194901 MIMO / P196	5194901 MIMO / P196
 NEW	 NEW	 NEW							
5196001 POLLUX / P198	7622206 DRACO / P200	5198801 ARA / P202							

security

WALL	 <div>NEW</div>	 <div>NEW</div>	 <div>NEW</div>	 <div>NEW</div>	 <div>NEW</div>	 <div>NEW</div>	FLOOD		
	5198401 MAYA / P204	5194801 FARELL / P206	5194802 FARELL / P206	5193002 QUBO / P208	5267103 LEDA / P210	5198102 CYRA / P212		7615601 CORN / P214	7629401 PERI / P216
		 <div>NEW</div>					SENSOR	 <div>NEW</div>	 <div>NEW</div>
7629501 PERI / P218	7625601 SUNSHINE / P220	7625701 SUNSHINE / P220	7632201 ARC / P222	7621902 SHRIMP / P224	7621903 SHRIMP / P224	7622104 SHRIMP II / P224		9701601 SPHERE / P226	9701501 TORUS / P228



 **SECURY'LIGHT**
connected camera concept



Have full control with the fully adjustable app.

Feel safe with the comfortable feeling that SECURY'LIGHT keeps an eye on your home.

With SECURY'LIGHT everything is under control.



Get live notifications from what's happening at your home. Talk to your visitors and feel secure.

You can even take a picture or record a video from wherever you are.

Listen and talk live with your visitors.



You can record a video or go back in time. And you can remotely set of an alarm buzzer.



Get an alert whenever someone approaches your home.



The light automatically jumps on where there is motion detected.

SECURY'LIGHT will keep an eye on your home

«When light meets a camera,
when light means security»



LIGHT



CAMERA



AUDIO



DETECTION

ALL CONTROLABLE IN ONE APP,
WHERE EVER, WHEN EVER.



Powerful and bright light with
the dimmable LED module



Sharp HD video recording with
wide angle light sensitive lens



Built-in noise cancelling microphone
with 2-way speaker buzzer





Infra-red motion sensor
fully adjustable in time,
distance and light mode



App with live notifications and video feed
Full control on all settings



Easy installation
Wi-Fi connection



Pre-installation


1. Download the APP.
2. Ensure SECURY'LIGHT location has good Wi-Fi reception
Note: even small change in position can improve the reception

Set up

1. Connect white red indicator light is flashing and after hearing "wait be configured"
2. Ensure SECURY'LIGHT location has good Wi-Fi reception
Note: even small change in position can improve the reception
3. App with live feed & notification
4. Full control of all safety settings
5. Dialogue
6. Fully adjustable in time, distance & light mode

Control

3 predefined presets for LOW-MEDIUM-HIGH security



Support

Via the "support" button you can access to all further Information & FAQ.




Please check out operation video
(installation, set-up & use)

YouTube <https://youtu.be/jEIA3Fye-NQ>

esa

wall


Techno look projector in the SECURYLIGHT range. Sleek design with 3 distinctive linear & diuse beams. The automatic plug-in connection allows a simple & easy installation. Fully orientable over two axes. Up-Down & Left-Right. Comes in white & dark grey colour.



7625501118
7625501053

CLASS II
IP54
LED 25W
1530 Lumen
Die Cast Aluminum

A+



peri


wall & ceiling

Rectangular floodlight in the SECURYLIGHT range. Powerful LED light beam with a nice grid patter. The automatic plug-in connection allows a simple & easy installation. Fully orientable over two axes. Up-Down & Left-Right. Comes in white & dark grey colour.


7629502335

CLASS II
IP44
LED 25W
2120 Lumen
Synthetics

A+



libra

wall & ceiling

Double head projector in the SECURYLIGHT range. The two "wings" feature a diffusor surface without edges, resulting in a perfectly homogeneous light beam. The automatic plug-in connection allows a simple & easy installation. The multiple orientation possibilities will give you full flexibility to cover the desired area.




7632401053

CLASS II
IP44
LED 38W
3000 Lumen
Synthetics

A+

5000K



vesta

wall

Stainless Steel wall light in the SECURYLIGHT range. Elegant & sleek design with rectangular diffusor. Radiates in a warm white light without shadows. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture.




5190601118

CLASS I
IP54
LED 30W
1350 Lumen
Stainless Steel

A+


3000K



elara

wall

Tubular stainless steel wall light in the SECURITY[®]LIGHT range. Familiar design for entry-door application, with perfect finish and appropriate combination of the used materials. Warm white LED light without shadows. Camera, Speaker, Microphone & PIR motion sensor are fully integrated in the fixture.


5267101001

CLASS II
IP44
LED 18W
1200 Lumen
Stainless Steel

A⁺

3000K


5267102118

CLASS II
IP44
LED 18W
1200 Lumen
Die Cast Aluminum

A⁺

3000K





CAMERA LIGHT
connected security concept

**always
connected
with your home**

As market initiator LUTEC is proud to present the 2nd generation of the connected camera range.

This brand new range has been developed based on learning and consumer insights over the last 3 years and by applying the gains and innovations of the fast evolving connected technology.

This has resulted in a limited range of compact and very convenient camera lighting fixtures, ready to install or to make a swift replacement of your actual outdoor luminaires.

CAMERA LIGHT

connected security concept



LIGHT



CAMERA



AUDIO



DETECTION



ALL CONTROLLABLE IN ONE APP
WHERE EVER, WHEN EVER.



Powerful and bright light with the dimmable LED module



Sharp HD video recording with wide angle light sensitive lens



Built-in noise cancelling microphone with 2-way speaker buzzer



Infra-red motion sensor fully adjustable in time, distance and light mode.



App with live notifications and video feed. Full control on all settings



WiFi connection
Secured Cloud Data Storage
Voice Control



install




download



Download on the
App Store

GET IT ON
Google Play

enjoy



PRE-INSTALLATION

Download on the
App Store

GET IT ON
Google Play




WiFi >2 Mbps
2.4G ✓ 5G ✗

Ensure CAMERA LIGHT location has good Wi-Fi reception.

CONNECTION

Make sure the device is in red light slow flashing mode.



CONTROL

Complete setting menu to control all your personal adjustments for the light, video, audio & sensor parameters

VOICE CONTROL

"Hey Google" "Alexa" CAMERA LIGHT assists the Voice control protocols of the Google Assistant & Amazon Alexa

works with the
Google Assistant


WORKS WITH
alexa

CLOUD STORAGE

Cloud storage of all your video's. Safe, Reliable and always accessible. Convenient registration Cloud services pricing at market level on monthly or annual base.

Google is a trademark of Google LLC. Amazon Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

SUPPORT



Via the "Help" button you can access to all further questions.

mimo

wall

Compact and sleek design. Easy replacement for the actual outdoor wall light next to your front door. Light, audio, video and detection all controllable in one App.





5194901053
5194901118

CLASS I
IP54
LED 18W
1200 Lumen
Die Cast Aluminum

A+

3000K



pollux

wall

Compact and elegant aluminium wall light. The tubular design makes a good fit at your front or back door. Features an integrated camera, speaker, micro and motion sensor all controllable in one App.




5196001118

CLASS I
IP54
LED 22W
1200 Lumen
Die Cast Aluminium

A+

3000K



draco

wall

Double head projector with multiple orientation possibilities give you full flexibility to cover the desired area. Comes with light, audio, video and detection all controllable in one App.






7622206012

CLASS I
IP54
LED 20W
1200 Lumen
Die Cast Aluminum

A+

5000K



ara

wall

Compact orientation light that will guide you perfectly to your home entrance. Features an integrated camera, speaker, micro and motion sensor all controllable in one App.





5198801330

CLASS II
IP44
LED 5W
200 Lumen
Die Cast Aluminum

A+

3000K





InMotion

Security Sensor Light

security for your **comFort**

LUTEC launches the InMotion concept offering a complete range of Security Sensor Lights.


The range is featuring now, besides the powerful flood lights with one or two heads, a number of very elegant designs which make a perfect match with the architecture of your house. The 2 stand-alone PIR sensors with multiple controls make the range complete.

Passive infrared (PIR) motion sensor

How does it work?

A PIR sensor detects changes in the amount of infrared radiation and converts this changes into a switch-on signal.

When a person makes a movement within the detection reach, the sensor will detect a difference in infrared radiation in between the person's body and the environment.



Comfortable detection area

The detection area is a combination of the reach in distance and angle. An adjustable sensor can be tilted and/or turned and gives you full freedom.

Your personal settings

Time setting

As from the moment the sensor detects a movement the light stay on from 10 seconds upon 8 minutes according your preference.

Twilight setting

The environment brightness can be adjusted according your selection from night (10 lux) to daylight. In this way the light will switch into the "ON" position according the selected outside light level and not during the day.

Distance setting

You can limit the detection distance in accordance with the desired detection area. In this way you can avoid a movement detection outside your private grounds.

For your convenience

Dusk to dawn

Automatic light on switching as soon it's dark outside

Ambient Light

Light stays on all night long in a gentle ambient light, after movement detection the light switches on a powerful light beam.

Double sensor

Assures you a full detection not only frontal but also underneath the luminaire close to the wall.

Test mode

You can define the perfect detection area during installation in daylight situation




How to choose?


Check in a few steps which InMotion Security Sensor Light suits the best for your home situation.



BASED ON SENSOR DETECTION REACH




BASED ON LUMINAIRE CHARACTERISTICS



maya

wall

This compact Up & Down wall light with wide beam in aluminium with stainless steel cover has a timeless design. Discrete position of the black adjustable PIR motion sensor, makes it almost invisible.





5198401001

CLASS I
IP44
LED 15W
1000 Lumen
Stainless Steel

A+

3000K



Farell



wall

Robust yet elegant stainless steel wall light, big surface diffuse warm white light radiation. Comes with performant motion sensor with a large detection reach and multiple control possibilities.





5194801001

CLASS II
IP44
LED 14W
700 Lumen
Stainless Steel



5194802001

CLASS II
IP44
LED 14W
900 Lumen
Stainless Steel



qubo

wall

With this wall light it is always pleasant to come home. Thanks to the performant integrated motion sensor, the visitors to your home will be detected from a distance and light will automatically switch on.



5193002118

CLASS I
IP54
LED 13W
800 Lumen
Die Cast Aluminum

A+

3000K



leda

wall

Tubular stainless steel wall light in the InMotion range contains a horizontal and vertically adjustable motion sensor. Thanks to the integrated sensor the light will automatically illuminate as soon as you get closer.



5267103001

CLASS II
IP44
LED 14W
1200 Lumen
Stainless Steel

A+

3000K



cyra

wall

Tubular wall light with a combination of anthracite grey aluminium body and opal white diffuser. The two moveable heads offer you a 350° rotation possibility resulting in a nice glow on your external wall or a frontal diffuse lightbeam. Comes also in a motion sensor version.






5198102118

CLASS I
IP54
LED 15W
1000 Lumen
Die Cast Aluminum

A+

3000K



corn

wall


Ingenious security light. The possibilities with the central rotating part and the individual adjustable spot heads give an incredible range of settings. The powerful LED source makes your outdoor areas as bright as day. The combination of the stylish cooling ribs on the back and the LED source results in a very low heat emission. This allows the floodlight to be installed under porches.



7615601118

CLASS I
IP54
LED 20W
2100 Lumen
Die Cast Aluminum

A+



peri

wall & ceiling


The new version of security floodlight has a very powerful LED with a double adjustable motion sensor. Front sensor has a detection range up to 20 meters, the sensor covering the area under the floodlight detects movement close to the wall. The PERI series is easy to install and no tools are needed, comes in a single and double headed spot and is suitable for wall and ceiling mounting thanks to the rotating base."


7629401331


CLASS I
IP54
LED 32W
3280 Lumen
Aluminium+ABS+PC

A+

5000K



Quick install



peri

wall & ceiling

The new version of security floodlight has a very powerful LED with a double adjustable motion sensor. Front sensor has a detection range up to 20 meters, the sensor covering the area under the floodlight detects movement close to the wall. The PERI series is easy to install and no tools are needed, comes in a single and double headed spot and is suitable for wall and ceiling mounting thanks to the rotating base."


7629501331

CLASS I
IP54
LED 16W
1710 Lumen
Aluminium+ABS+PC

A+

5000K



Quick install



Automatic Plug-in



sunshine

wall

Elegant & powerful flood light, ideal for illuminating larger areas as your courtyards & driveways.

The rectangular head can be directed over 2 axes. Comes with a high quality and fully adjustable PIR motion sensor with a detection reach up to 18 meter.



Now also available in compact version – 800 lumen.



7625601345

CLASS II
IP44
LED 16.5W
1200 Lumen
Synthetics


A+



7625701345

CLASS II
IP44
LED 12W
800 Lumen
Synthetics

A+



arc

wall & ceiling



Elegant double head projector with fully adjustable motion sensor. The two "wings", feature a diffuser surface without edges, resulting in a perfectly homogeneous light beam. The multiple orientation possibility gives you full flexibility to cover the desired area.


7632201053

CLASS I
IP54
LED 19W
1200 Lumen
Synthetics

A+

5000K



Quick install



shrimp

wall & ceiling

Elegant yet powerful security floodlight with typical "bike lamp" design.


This series is available with or without adjustable PIR motion sensor.



7621902012

CLASS I
IP54
LED 22W
1380 Lumen
Die Cast Aluminum



A+



7621903012

CLASS I
IP54
LED 22W
1380 Lumen
Die Cast Aluminum



A+



7622104330

CLASS II
IP54
LED 15W
1360 Lumen
Synthetics

A+



sphere


sensor

Stand alone passive infrared motion sensor.
Compact, orientable version with detection
range up to 12 meter and detection
angle of 180°.



9701601330

CLASS II
IP44
MAX 1100W
Synthetics



torus



sensor

Stand alone double and adjustable motion sensor. The frontal sensor has a detection range of up to 21 metres & 270°. The second sensor covering the area underneath detects any movement close to the wall.



9701501330

CLASS I
IP44
MAX 1000W
Synthetics



better light
better work

WORK LIGHT products are used in all kinds of workshop, garages, construction sites, decoration projects, outside and inside.

To meet demand, LUTEC has designed a complete range, from small portable lamps to tripods equipped with multiple light heads. From small to large, from domestic to professional. Bright and easy to use, to install and transport.

work light

WORK LIGHT



7629701 UTIN / P230



7633301 MODO / P232



7629301 PERI / P234



7629001 PERI / P236



7629002 PERI / P236

utin


portable

Compact portable LED work light,
great look and striking colour combination.
Easy to store and transport.
Your perfect companion for all your DIY projects.
Comes with a 1.8m cable and plug.



7629701341

CLASS I
IP54
LED 11W
1040 Lumen
Die Cast Aluminum



modo

portable

Portable work light with a distinctive but functional design. The yellow corner parts including the soft touch handle will protect the luminaire when falling. Including a 2.5 meter wire and plug.




7633301118

CLASS I
IP54
LED 21W
1500 Lumen
Die Cast Aluminum

A+

5000K



peri

portable


Portable version of the PERI range. Featuring the same 2 powerfull LED spotlights. Both easily adjustable in any desired direction. Practical handle and easy wiring sytem for 1.5m electrical cable.



7629301341

CLASS II
IP54
LED 21W
2000 Lumen
Die Cast Aluminum

A+  5000K



peri


portable

Re-invented, the double headed PERI LED Tripod floodlight. It's easy to transport when it's closed thanks to the practical handle, 2.5m cable wrap and compact dimensions which makes the installation logical and fast. The lock system, telescopic and manual, ensure in no time a stable and height-adjustable build up. Both adjustable spot heads have 2 rotation axes.




7629001341

CLASS II
IP54
LED 35W
3200 Lumen
Die Cast Aluminum
A+



7629002426

CLASS I
IP54
LED 92W
7000 Lumen
Die Cast Aluminum
A+



FUNCTIONAL consists of a wide range of recessed solutions: outdoor walls, wooden or stone terraces, driveways and pathways.

The recessed luminaires for wall (IP65) and ground (IP67) mounting are covering all standard applications. This with multiple light source possibilities, coming in wide flood or narrow spot light beam. Small, medium and large sizes in fixed or adjustable versions.

where function
meets **Form**

Functional

RECESSED
GROUND &
WALL



7700511 BERLIN / P238



7700513 BERLIN / P238



7704601 STRATA / P240



7704212 CYDOPS / P242



7704801 DENVER / P244



7701301 ARCTIC / P246

berlin

recessed ground

Round stainless recessed ground spots creating a nice effect to guide you along your driveway, pathway or terrace. Compact in size yet solid in construction, you can drive over it with a car.



Car can drive over




7700511012

CLASS I
IP67 & IP65
GU10 35W
Stainless Steel



7700513012

LED 5W
180 Lumen



strata

recessed ground

Compact recessed spot with opal diffuser creates a homogenous warm white light. For your installation convenience the stainless steel ring can be mounted separately. The limited built-in height makes it very suitable for wooden outdoor terraces.




7704601012

CLASS I
IP67 & IP65
LED 9.2W
320 Lumen
Stainless Steel

A+

3000K



cydops


recessed ground

Super compact stainless steel recessed ground spot with a wide angle. High light efficiency combined with only a shallow recess needed for installation makes this built-in spot perfectly suitable for your wooden terraces.



7704212012

CLASS I
IP67 & IP65
LED 8W
580 Lumen
Stainless Steel



denver

recessed ground

Medium size stainless steel ground recessed spot.

Can be built in a paved or unpaved surface.

Features a wide angle and very powerful 1000 lumen light beam.



7704801012

CLASS I
IP67 & IP65
LED 12W
1030 Lumen
Die Cast Aluminum


A+



arctic

recessed ground

Robust, powerful yet compact recessed LED ground spot with a limited build-in depth. This spot can be inclined up to an angle of 75°. Pick out ornaments, trees and bushes in your garden with a stunning light effect.




7701301012

CLASS I
IP67 & IP65
LED 12.5W
650 Lumen
Die Cast Aluminum

A+

4000K



introducing our company

40 years of experience

The beginnings of a lighting company

Originally as a national aluminium die-cast factory, we acquired our first experience in outdoor lighting by producing bulkhead lights & classical garden lanterns. Our quality standards met international standards and the first export shipment was made in 1996. The new factory in the Far-East Industry park in Yuyao was operational in 2001, concentrating on modern garden & professional lighting resulting from a booming international DIY & ODM demand. From 2009 a close collaboration with the Design(Pool) had two objectives. To create a stronger offer for the ODM market and to launch a base for our future brand LUTEC. LUTEC was launched in 2010, focusing on architectural LED lights & introducing Solar Energy studies. This has resulted in the opening of a second production facility in 2012, fully devoted to future developments.



Nowadays Lighting is both essential and magic.

The challenge of lighting is to create products which are a balance between the shape impact and attractiveness, and real functional values of use. The LED revolution has completely changed the game, giving us a lot of new opportunities. Added to this we must follow the latest technical innovations but also anticipate and provoke them, especially with solar energy and lighting control processes. To serve our objectives, we are reinforcing our international network and organisation: central warehouses in Belgium and China, establishing partners in new countries, the building of our corporate identity and also developing many different brand supports.

Future is already here Support the users

In our daily life we are surrounded by interactive and connected products. For many reasons it is evident for the lighting field to embrace this, among which is the ability to organise the light at will: temperature, color, control of the sensors, programming, energy saving and control, interactivity between several light points, security with camera, sound...

Our new APP, running on a smart phone, can help program and control all the information received through our products.



It is true, LUTEC is a young brand but it is built on a strong manufacturing experience. Manufacturing involves imagination and efficiency.

Why we decided to establish a brand?

The brand gives us a needed visibility. The brand allows us to anticipate the market, to make our own choices related to trends and to make developments such as we perceive them through our partners in different countries. Connected by lighting underlines our intention to develop products in accordance with the final consumers, through all our network and distribution channels. Now becoming a major player in lighting field, our main objective is to consolidate our offer through creativity, the design which involves a real level of quality and services.

welcome to the lutec center

connected by lighting

The LUTEC centre is in our HQ in Yuyao. Located on the production site, it is an International meeting place where new concepts are elaborated, innovation & strategies are shared, discussed and studied.



We provide an expert platform in design, sales and services. We have the will to show and experiment different approaches creating choices for the short or medium terms. Staying close to our customers, which by extension also means the final consumers, allows the right design solutions to be found. Our team is trained for being reactive. The key to realize a win-win product is to always explore the possibilities, select and adapt, finding the adapted position.



In our view innovation is always closely linked to a right level of realization.


design & engineering

design, engineering & manuFacturing, all interactive.

One of the main decision we have taken in the LUTEC organisation is to break the walls between the different integrated services concerned by our product strategy. We have installed a culture of flowing communication between the services where everybody has a positive role to play in all projects. It works because we consider that we are all concerned in the success of a product.



We know that whatever the project it is complex and a number of obstacles have to be got through. To be as perfect as possible means working together: knowledge has to be shared at all levels. Creativity, marketing, engineering, production, communication, sales are all one and the same, totally linked.



warehousing & transport

global logistic Footprint assuring availability & proximity.



Today, we stock all A-items (150 sku's with high rotation) in the China Central Warehouse. (CCW). In this way we can guarantee an immediate shipment from the Ningbo harbor all over the world. The B & C items are made to order with a clever spareparts replenish system behind.


CCW

China Central
Warehouse
Yuyao - China

ECW

European Central
Warehouse
Bornem - Belgium

Since 2014, the European Central Warehouse is fully operational. This warehouse located in Belgium, centrally situated in Europe and operated by our logistic partner ACTIUS. Now we've also the possibility to assure different value adding services in the ECW. With a standard lead time of 1 week for all shipments to whatever place in Europe, the LUTEC articles are always within reach. We can offer different transport options: direct shipment, cross docking or pick-up, in close cooperation with our local Sales Cy & Distributors. Actually the ECW-portfolio contains the 200 best-running sku's.



With the LUTEC App, our Partners can consult in real time the stock situation in the CCW & ECW, plus the incoming shipments. This will lead to transparent and complete info towards our customers.

LUTEC quality



As a global supplier, our products are fully compliant with all technical & quality requirements of the different regions in the world.



All LUTEC LED articles benefit from a 5-years functional warranty. For the SOLAR range we apply a standard 2-years operational warranty.

The warranty conditions can be consulted on our website.

www.lutec.com/warranty



Integrated LED Light-engines

We apply in our designs the most appropriate LED light engine. Thanks to the in-house engineering and manufacturing in combination with a good relation with A-brand component suppliers, we're constantly improving the performance of the total LED-module. This results in a higher lumen/watt ratio but also in an improvement of the lumen/dollar ratio.

Low Energy Cost: -80% Energy consumption vs traditional lightsources

Long Lifetime: up to 20.000 hours

LUTEC LED-light engines featuring the most appropriate characteristics in order to give the best result for all your outdoor applications.

LUTEC works only with famous A-brand LED suppliers and strict requirements.

- Lumen Maintenance in time: 100% LM-80 test report
- Color deviation: 100% under 5-step MacAdam ellipse
- ERP compliant

The LED driver is the heart of the LED module and is the main influencer of the life-time. At LUTEC we develop these drivers according the engineering & design requirements. The manufacturing of the SMD's of these LUTEC-drivers is done on the in-house approved SMT assembly lines. In some cases we apply also drivers of A-brand suppliers. All drivers are compliant to all standard requirements and regulations. UL-GS-EMC-FCC-ERP

CREE **EVERLIGHT**

Lextar **LG**

PHILIPS LUMILEDS **OSRAM**



LUTEC


PHILIPS

SELF

HGPOWER

The **Light Color** or **Color Temperature** in Kelvin (K) gives a clear indication about "whiteness" of the LED light.

Standard we apply the 4000K Daylight. For most fixtures with diffuse light and vintage look a 3000K Warm White light is installed. The more functional work & security projectors have an integrated LED source with a 5000K Cool White light.



The **Color Rendering Index (CRI)** gives on a 0-100 scale an indication the color accuracy. Determining the ability of the light source to reveal the colors of the object faithfully in comparison with a natural light source. In all LUTEC fixtures we apply a CRI of minimum 80%. For Outdoor applications this is a more than satisfying level.

The **Luminous Flux** of an Outdoor fixture indicated in an nbr of Lumen. (lm) is the total amount of light which comes out of the fixture in all directions. It gives a good measure of the brightness you can expect. This Lumen indication replaces on a clearer manner the previously used wattage.

Standard	25 W	40 W	60 W	75 W	100 W
Halogen	18 W	28 W	42 W	53 W	70 W
CFL	6 W	9 W	12 W	15 W	20 W
LED	4 W	6 W	10 W	13 W	18 W
Brightness Lumen	220	400	700	900	1300

The **Luminous Efficacy** in Lumens/Watt gives a good measure of the optimal conversion of the electrical power into useful light. This is an important parameter with direct impact on the electric energy cost for your installation. Thanks to the continuous developments the LED solution is already today one of the most efficient light technologies. The Luminous Efficacy is one of the main parameters for the determination of the Energy Efficiency class.

According the EU regulation no 874/2012, about energy labelling of electrical lamps and luminaires, it's required that the consumers are informed about the Energy Efficiency class.

For all LUTEC articles this information is available on our website www.lutec.com.

All the LUTEC LED-fixtures featuring an **Energy Efficiency class A+ or better**.



This luminaire contains built-in LED lamps.

Ce luminaire comporte des lampes à LED intégrées.

Esta luminaria lleva lámparas LED incorporadas.

Acest corp de iluminat este prevăzut cu lămpi cu leduri integrate

W skład oprawy wchodzi wbudowane lampy LED.

Bu armatür LED lambalar yerleşik içerir.

Diese Leuchte enthält eingebaute LED-Lampen.

Этот светильник содержит встроенные светодиодные лампы.

Incorpora lâmpadas LED



The lamps cannot be changed in the luminaire.

Les lampes de ce luminaire ne peuvent pas être changées.

Nie można wymieniać lamp w oprawie

Лампы светильника не могут быть заменены.

Las lámparas de esta luminaria no son recambiables.

Lambalar armatürde değiştirilemez.

As lâmpadas não podem ser substituídas

Lămpile din acest corp de iluminat nu pot fi schimbate

Die Lampen können in der Leuchte nicht ausgetauscht werden.



874/2012

materials & finishes

For all LUTEC luminaires we apply the most appropriate high quality materials & finishes, all with an excellent weather proofness & mechanical strength to ensure a long lifetime.

Heavy duty die-cast Aluminum type ADC 12. Thickness of 2mm and a very good compactness, no air holes inside. In house fully automatic powder-coating & water painting-installation giving a perfect protection against corrosion.

LUTEC benifices from an in-house tooling workshop both for aluminum & synthetic components. This great asset & experience assures a high quality production.

Different types of premium Stainless Steel. For the ground recessed spots: 304 & 316 standards. For the wall & bollard versions: 201 & 202. Electrophoretic painting resulting in an extra protection layer.

Different kind of durable synthetics, depending on the application and form factors. For the fixtures: in most cases ABS, this is a strong, light-weighted material and can be used under low and high outdoor temperatures. For the diffusers: the impact proof and very resistant PC (polycarbonate) is used in opal or transparent version. Also clear glass, tempered glass and opal or clear PMMA (plexi-glass) are common in our designs.




IP rating table

	Protection against solids		Protection against liquids
0	Not Protected	0	Not Protected
1	Protected against Solid Objects greater than 50mm	1	Protected against Dripping Water
2	Protected against Solid Objects greater than 12mm	2	Protected against Dripping Water when tilted to 15°
3	Protected against Solid Objects greater than 2.5mm	3	Protected against Spraying Water
4	Protected against Solid Objects greater than 1mm	4	Protected against Splashing Water
5	Dust Protected	5	Protected against Water Jets
6	Dust Tight	6	Protected against Heavy Seas
		7	Protected against the effects of Immersion
		8	Protected against Submersion

Color Indication

	Color Indication
●	Anthracite Grey
●	Silver Grey
●	Stainless Steel
●	White
●	Black
●	Green
●	Orange
●	Black-Rust
●	Yellow
●	Bronze



Sustainable vision

Over the last years we've made big steps forward to become a fully sustainable company. This on the level of manufacturing processes, resulting in a minimum impact on the environment. We are compliant to all Social Standards and are constantly improving the working conditions in our offices and production sites.

All our designs start from a sustainable mindset, offering our customers low energy consumption LED- solutions or fully energy neutral SOLAR energy alternatives.




mounting, installation & maintenance

Instruction Manual



LUTEC pays a lot of attention to a consumer friendly mounting and foresee a variety of application possibilities, enhanced by specific & clever user-interfaces. Every LUTEC Outdoor fixture has a clear instruction manual in the unit box. This manual can also be downloaded on our website. The mounting and the installation is easy and fast. No specific tools are needed.



Service network

Our service network is available on global level through our LUTEC Partners. Contact details: www.lutec.com/services/global-network



LUTEC brand identity

packaging

The LUTEC corporate identity has been updated recently resulting in an actual look, completely in line with our evolving brand values, drivers & promises. New trade support tools are developed and can be used by our customers in a fully 360° communication. Creating an added value and differentiation versus our competitors.

LUTEC

CONNECTED BY LIGHTING



LUTEC launches in 2019 the fully refreshed packaging over its complete portfolio. After 5 years the time has come to make some important updates in an actual LUTEC brand look.

The look of the new packaging is fresh and vivid showing the consumer immediately the attractiveness of the products and possible applications.



The product is the hero and gets the full attention with a clear picture. The renewed LUTEC logo with the green oval, is present on all sides. Together with the green banner this will further improve the brand recognition. The most relevant characteristics are shown in the feature box on the front, top and second side, this together with an in situation image. The lifestyle image on the front is repeated on the third side and creates the right atmosphere for each product activity segment. On the back side the complete technical information can be found, this with more details and a logic built up by means of clear icons. The EEL label and the short description translation in 8 languages makes the information complete.

LUTEC brand identity

rich content

We're constantly creating new communication materials to support and improve the introduction and consumer-service of our propositions. All these materials are easy accessible through our refreshed website www.lutec.com. There you can find the LUTEC database with all kind of "rich content": Atmosphere pictures, Lifestyle photo's, Tutorials, Inspirational video's, Flash-Intro video's, Unpack experiences, Rich texts, ...

This can be used for all kind of commercial & advertorial purposes. Also specific landing pages on your websites can be created in a convenient and attractive way resulting in a complete & dynamic content to inform and inspire the consumers about the LUTEC propositions.



LUTEC brand identity

in-store support

Based on consumer insights and specific requests from our customers, we're proposing a large number of in-store support tools. Always starting from the same idea: the product - proposition is king, the consumer should be guided in a clear way facilitating his selection in a convenient way. Together with the refreshed look & feel of the LUTEC brand communication, we have adopted an inspiring and convincing communication for the different activity segments. After all a SOLAR light proposition requires another story than a CAMERA light solution.



Index : as per NEW ITEM NO.

NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE	NEW ITEM	NAME	PAGE
5002301001	LUCA	96	5260101030	UNITE	126	6908001337	TABLE CUBE	146
5005103001	FLAT	40	5260103012	UNITE	126	6908001339	TABLE CUBE	146
5008101001	VIRGO	94	5260103030	UNITE	126	6908001340	TABLE CUBE	146
5033001001	FACE	42	5260201012	UNITE	126	6908002337	TABLE CUBE	148
5033002001	FACE	42	5260201030	UNITE	126	6908003331	TABLE CUBE	146
5183601118	CITY	68	5264201213	CATE	140	6908501308	BRICK	160
5184601118	BOX CUBE	66	5267101001	ELARA	194	6908701001	BUBBLE	164
5185701012	STARRY	132	5267102118	ELARA	194	6908901335	TWILL	166
5185901012	AQUARIUS	130	5267103001	LEDA	210	6910601335	ARROW	158
5186004118	EYES	72	5271002118	SPICA	58	6910802335	POPPY	144
5186202118	EVANS	78	5273601012	KELSEY	136	6914401000	MINI LEDSPOT	154
5186304118	EVANS	78	5273701012	KELSEY	136	6914402000	MINI LEDSPOT	154
5186902118	PILO	76	5274601412	DARLI	142	6925601345	SUNSHINE	182
5187601118	CONE	24	5510805001	LUCA	96	6951301189	LONDON	180
5187901000	SPLIT	80	5521201001	CRYSTAL	92	7005201001	FLAT	40
5188003118	GHOST	26	5521601001	CRYSTAL	90	7008201001	VIRGO	94
5188201118	SANDWY	74	5604011112	FOCUS	104	7187611118	CONE	24
5188601125	BATI	54	5604011118	FOCUS	104	7188601125	BATI	56
5188602125	BATI	54	5604011118	FOCUS	104	7193001118	QUBO	36
5188801118	APOLLO	32	5605013118	FOCUS	108	7193002118	QUBO	36
5189001118	GEMINI	88	5605103118	FOCUS	108	7193801118	CUBA	2
5189002118	GEMINI	88	5605701112	PATH	100	7204803118	FOCUS	106
5189101118	GEMINI	84	5605702112	PATH	100	7214603118	MINI LEDSPOT	10
5189102032	GEMINI	82	5605801112	PATH	102	7214604118	MINI LEDSPOT	10
5189102118	GEMINI	82	5605802112	PATH	102	7216412118	MERIDIAN	22
5189103118	GEMINI	82	5614401118	MINI LEDSPOT	6	7216702118	ARMOR	38
5189104118	GEMINI	86	5614402118	MINI LEDSPOT	6	7225201118	ANDA	18
5189111118	GEMINI	84	5614404118	MINI LEDSPOT	8	7226101118	TRUMPET	12
5189112118	GEMINI	84	5614405118	MINI LEDSPOT	8	7260311012	UNITE	128
5189113118	GEMINI	82	5616302118	MERIDIAN	20	7260311030	UNITE	128
5189401112	EVEN	46	5616304118	MERIDIAN	20	7260401012	UNITE	128
5189501118	ZERTA	64	5616602118	ARMOR	38	7260401030	UNITE	128
5189601118	TONA	62	5626001118	TRUMPET	12	7264210213	CATE	140
5189602118	TONA	62	5626002118	TRUMPET	12	7264230213	CATE	140
5189901118	SECO	48	6304201118	FOCUS	106	7271004118	SPICA	58
5190601118	VESTA	192	6330401118	BONN	122	7273601012	KELSEY	138
5191601118	HELENA	120	6330402001	BONN	122	7273602012	KELSEY	138
5191602118	HELENA	120	6335142118	ORIGO	114	7615601118	CORN	214
5192701118	LEO	98	6336201118	TITAN	116	7621902012	SHRIMP	224
5192701335	LEO	98	6338201118	SEINE	118	7621903012	SHRIMP	224
5192801118	FACCIA	60	6348101112	UBLO	112	7622104330	SHRIMP	224
5192901118	MITO	52	6348102112	UBLO	110	7622206012	DRACO	200
5193001118	QUBO	34	6349101112	UBLO	112	7625501053	ESA	186
5193002118	QUBO	208	6349102112	UBLO	110	7625501118	ESA	186
5193003118	QUBO	34	6350101112	UBLO	112	7625601345	SUNSHINE	220
5193201118	LOTUS	70	6350102112	UBLO	110	7625701345	SUNSHINE	220
5193602118	ADALYN	50	6609201118	EXPLORER	16	7629001341	PERI	236
5193801118	CUBA	2	6609202118	EXPLORER	14	7629002426	PERI	236
5194301118	ALICE	30	6609204118	EXPLORER	14	7629301341	PERI	234
5194302118	ALICE	30	6609205118	EXPLORER	16	7629401331	PERI	218
5194801001	FARELL	206	6901101000	ZETA	174	7629501331	PERI	216
5194802001	FARELL	206	6901201000	TILLY	178	7629502335	PERI	188
5194804001	FARELL	44	6901401337	GHOST SOLAR	172	7629701341	UTIN	230
5194901053	MIMO	196	6901501000	BREAD	162	7632201053	ARC	222
5194901118	MIMO	196	6901601000	SUNSHINE	184	7632401053	LIBRA	190
5196001118	POLLUX	198	6903401000	ZERTA	156	7633301118	MODO	232
5198101118	CYRA	4	6904101331	DRAGONFLY	152	7700511012	BERLIN	238
5198102118	CYRA	4	6904101337	DRAGONFLY	152	7700513012	BERLIN	238
5198102118	CYRA	212	6904101339	DRAGONFLY	152	7701301012	ARCTIC	246
5198302001	MAYA	90	6904101340	DRAGONFLY	152	7704212012	CYDOPS	242
5198401001	MAYA	90	6906702335	DISO	168	7704601012	STRATA	240
5198401001	MAYA	204	6906703335	DISO	168	7704801012	DENVER	244
5198701001	WHISPER	28	6907701331	PADLIGHT	150	9700308112	POLE	176
5198801330	ARA	202	6907701339	PADLIGHT	150	9700357000	LONDON	180
5240101012	ZOE	124	6907701340	PADLIGHT	150	9700359330	LONDON	180
5241101012	HOM	134	6907901000	SOLSTEL	170	9701501330	TORUS	228
5252101118	ANDA	18	6907903001	SOLSTEL	170	9701601330	SPHERE	226
5260101012	UNITE	126	6908001331	TABLE CUBE	146			

Index : as per SERIES NAME

NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE	NAME	NEW ITEM	PAGE
ADALYN	5193602118	50	FOCUS	5604011118	104	PILO	5186902118	76
ALICE	5194301118	30	FOCUS	5604011112	104	POLE	9700308112	176
ALICE	5194302118	30	FOCUS	5604010118	104	POLLUX	5196001118	198
ANDA	5252101118	18	FOCUS	6304201118	106	POPPY	6910802335	144
ANDA	7225201118	18	FOCUS	7204803118	106	QUBO	5193001118	34
APOLLO	5188801118	32	FOCUS	5605013118	108	QUBO	7193001118	36
AQUARIUS	5185901012	130	FOCUS	5605103118	108	QUBO	5193003118	34
ARA	5198801330	202	GEMINI	5189102118	82	QUBO	7193002118	36
ARC	7632201053	222	GEMINI	5189113118	82	QUBO	5193002118	208
ARCTIC	7701301012	246	GEMINI	5189102032	82	SANDWY	5188201118	74
ARMOR	5616602118	38	GEMINI	5189103118	82	SECO	5189901118	48
ARMOR	7216702118	38	GEMINI	5189101118	84	SEINE	6338201118	118
ARROW	6910601335	158	GEMINI	5189112118	84	SHRIMP	7621902012	224
BATI	5188601125	54	GEMINI	5189111118	84	SHRIMP	7621903012	224
BATI	5188602125	54	GEMINI	5189104118	86	SHRIMP	7622104330	224
BATI	7188601125	56	GEMINI	5189002118	88	SOLSTEL	6907901000	170
BERLIN	7700513012	238	GEMINI	5189001118	88	SOLSTEL	6907903001	170
BERLIN	7700511012	238	GHOST	5188003118	26	SPHERE	9701601330	226
BONN	6330402001	122	GHOST SOLAR	6901401337	172	SPICA	5271002118	58
BONN	6330401118	122	HELENA	5191601118	120	SPICA	7271004118	58
BOX CUBE	5184601118	66	HELENA	5191602118	120	SPLIT	5187901000	80
BREAD	6901501000	162	HOM	5241101012	134	STARRY	5185701012	132
BRICK	6908051308	160	KELSEY	5273701012	136	STRATA	7704601012	240
BUBBLE	6908701001	164	KELSEY	5273601012	136	SUNSHINE	6901601000	184
CATE	5264201213	140	KELSEY	7273602012	138	SUNSHINE	7625701345	220
CATE	7264210213	140	KELSEY	7273601012	138	SUNSHINE	7625601345	220
CATE	7264230213	140	LEDA	5267103001	210	SUNSHINE	6925601345	182
CITY	5183601118	68	LEO	5192701118	98	TABLE CUBE	6908003331	146
CONE	5187601118	24	LEO	5192701335	98	TABLE CUBE	6908001337	146
CONE	7187611118	24	LIBRA	7632401053	190	TABLE CUBE	6908001331	146
CORN	7615601118	214	LONDON	6951301189	180	TABLE CUBE	6908001339	146
CRYSTAL	5521201001	92	LONDON	9700359330	180	TABLE CUBE	6908001340	146
CRYSTAL	5521601001	90	LONDON	9700357000	180	TABLE CUBE	6908002337	148
CUBA	5193801118	2	LOTUS	5193201118	70	TILLY	6901201000	178
CUBA	7193801118	2	LUCA	5510805001	96	TITAN	6336201118	116
CYDOPS	7704212012	242	LUCA	5002301001	96	TONA	5189601118	62
CYRA	5198101118	4	MAYA	5198302001	90	TONA	5189602118	62
CYRA	5198102118	4	MAYA	5198401001	90	TORUS	9701501330	228
CYRA	5198102118	212	MAYA	5198401001	204	TRUMPET	5626001118	12
DARLI	5274601412	142	MERIDIAN	5616302118	20	TRUMPET	5626002118	12
DENVER	7704801012	244	MERIDIAN	5616304118	20	TRUMPET	7226101118	12
DISO	6906702335	168	MERIDIAN	7216412118	22	TWILL	6908901335	166
DISO	6906703335	168	MIMO	5194901053	196	UBLO	6348102112	110
DRACO	7622206012	200	MIMO	5194901118	196	UBLO	6349102112	110
DRAGONFLY	6904101337	152	MINI LEDSPOT	5614401118	6	UBLO	6350102112	110
DRAGONFLY	6904101331	152	MINI LEDSPOT	5614402118	6	UBLO	6348101112	112
DRAGONFLY	6904101339	152	MINI LEDSPOT	5614404118	8	UBLO	6349101112	112
DRAGONFLY	6904101340	152	MINI LEDSPOT	5614405118	8	UBLO	6350101112	112
ELARA	5267101001	194	MINI LEDSPOT	7214603118	10	UNITE	5260201012	126
ELARA	5267102118	194	MINI LEDSPOT	7214604118	10	UNITE	5260201030	126
ESA	7625501053	186	MINI LEDSPOT	6914401000	154	UNITE	5260101012	126
ESA	7625501118	186	MINI LEDSPOT	6914402000	154	UNITE	5260101030	126
EVANS	5186202118	78	MITO	5192901118	52	UNITE	5260103012	126
EVANS	5186304118	78	MODO	7633301118	232	UNITE	5260103030	126
EVEN	5189401112	46	ORIGO	6335142118	114	UNITE	7260401012	128
EXPLORER	6609202118	14	PADLIGHT	6907701331	150	UNITE	7260401030	128
EXPLORER	6609201118	16	PADLIGHT	6907701339	150	UNITE	7260311012	128
EXPLORER	6609204118	14	PADLIGHT	6907701340	150	UNITE	7260311030	128
EXPLORER	6609205118	16	PATH	5605701112	100	UTIN	7629701341	230
EYES	5186004118	72	PATH	5605702112	100	VESTA	5190601118	192
FACCIA	5192801118	60	PATH	5605801112	102	VIRGO	5008101001	94
FACE	50333001001	42	PATH	5605802112	102	VIRGO	7008201001	94</

